

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





62.39

F. W. SCHUMACHER  
HORTICULTURIST -- TREE SEEDS

P. O. B. 131


JAMAICA PLAIN 30, MASS.

SEEDS for the NURSERYMAN and FORESTER -- FALL 1947

P R E L I M I N A R Y   O F F E R

For fall and early winter delivery. Final listing  
of all seeds available from new crops will follow  
in our general catalogue.

|   | oz.          | 1/4 lb. | lb.    |
|---|--------------|---------|--------|
| ABIES amabilis                          | .55          | \$1.65  | \$5.00 |
| balsamea                                | .45          | 1.20    | 3.50   |
| fraseri                                 | .60          | 1.65    | 5.00   |
| grandis                                 | .55          | 1.65    | 5.00   |
| magnifica                               | .50          | 1.50    | 4.50   |
| " shastensis                            | .50          | 1.50    | 4.50   |
| nobilis                                 | .70          | 2.00    | 6.00   |
| nordmanniana                            | .60          | 1.85    | 5.50   |
| pectinata (alba)                        | .25          | .65     | 2.00   |
| pinsapo                                 | .40          | 1.05    | 3.00   |
| " glauca                                | .70          | 2.00    | 6.00   |
| ACACIA armata                           | 1.25         | 3.75    |        |
| baileyana                               | .50          | 2.00    |        |
| decurrens                               | .45          | 1.50    |        |
| " dealbata                              | .45          | 1.50    |        |
| " mollis (mollissima)                   | .60          | 1.80    |        |
| longifolia                              | .70          | 2.10    | 6.25   |
| saligna                                 | .55          | 1.75    |        |
| ACER campestre                          | .30          | .85     | 2.50   |
| ginnala                                 | .25          | .65     | 2.00   |
| macrophyllum                            |              | .45     | 1.25   |
| negundo                                 |              | .35     | 1.00   |
| pennsylvanicum                          | .30          | .85     | 2.50   |
| platanoides                             |              | .35     | 1.00   |
| pseudoplatanus                          |              | .35     | 1.00   |
| saccharum                               | .25          | .60     | 1.75   |
| AILANTHUS glandulosa                    |              | .35     | 1.00   |
| ALBIZZIA julibrissin                    | .25          | .70     | 2.10   |
| " a hardy strain (zone 5)               | .45          | 1.00    | 3.00   |
| ALNUS incana, clean                     | .35          | 1.00    | 3.00   |
| glutinosa, clean                        | .45          | 1.20    | 3.50   |
| rubra, clean                            | .70          | 2.00    | 6.00   |
| rugosa, clean                           | .50          | 1.50    | 4.50   |
| AMELANCHIER alnifolia                   | .30          | .75     | 2.50   |
| canadensis                              | .45          | 1.35    | 4.00   |
| grandiflora                             | .65          | 2.00    | 6.00   |
| laevis                                  | .65          | 2.00    | 6.00   |
| stolonifera, large fruited type         | .55          | 1.50    | 4.50   |
| AMORPHA fruticosa                       | .20          | .50     | 1.50   |
| AMPELOPSIS aconitifolia                 | .65          | 2.00    |        |
| heterophylla                            | .65          | 2.00    |        |
| quinquefolia, clean                     | .30          | .85     | 2.50   |
| tricuspidata, clean                     | .35          | 1.00    | 3.00   |
| ARALIA hispida                          | .65          | 2.00    |        |
| sinensis                                | .50          | 1.50    |        |
| spinosa, clean                          | .50          | 1.50    | 4.50   |
| ARCTOSTAPHYLOS uva-ursi, clean          | .35          | 1.00    | 3.00   |
| ARISTOLOCHIA tomentosa                  | .30          | .75     | 2.50   |
| ARONIA arbutifolia                      | .25          | .65     | 2.00   |
| atropurpurea                            | .25          | .50     | 1.50   |
| melanocarpa                             | .20          | .60     | 1.75   |
| ASIMINA triloba                         | .25          | .65     | 2.00   |
| AZALEA arborescens, N.E.                | 1/4 oz. .75  |         |        |
| calendulacea                            | 1/4 oz. .55  | 2.25    |        |
| calendulacea, select grade, New England |              |         |        |
| seed                                    | 1/4 oz. 1.00 | 3.00    |        |









| AZALEA (cont.)   | oz.    | 1/4 lb. | lb.  |
|--|--------|---------|------|
| Ghent Hybrids, N.E. 1/4 oz.                                | 3.00   |         |      |
| japonica (hardy mollis) from eastern garden strain 1/4 oz. | 2.50   |         |      |
| kaempferi, N.E. 1/4 oz.                                    | 3.00   |         |      |
| " Hybrids, N.E. 1/16 oz.                                   | 2.00   |         |      |
| mollis 1/4 oz.   | 1.25   |         |      |
| nudiflora 1/4 oz.  | .70    |         |      |
| poukhanensis, N.E. 1/4 oz.                                 | 3.00   |         |      |
| rosea, N.E. 1/4 oz.  | 2.00   |         |      |
| schlippenbachii, N.E. 1/4 oz.                              | .75    | 2.25    |      |
| simsi 1/16 oz.   | 1.00   |         |      |
| vaseyi, N.E. 1/4 oz.                                       | .50    | 1.75    |      |
| BENZOIN aestivale  | .20    | .50     | 1.50 |
| BERBERIS thunbergi, clean                                  | .40    | 1.20    | 3.50 |
| " atropurpurea, dried berries                              | 1.00   | 3.00    |      |
| BETULA alba (odorata or pubescens)                         | .25    | .65     | 2.00 |
| " pendula  | .25    | .65     | 2.00 |
| " " clean  | .50    | 1.50    | 4.50 |
| lenta  | .35    | 1.00    | 3.00 |
| lutea  | .35    | 1.00    | 3.00 |
| papyrifera   | .35    | 1.00    | 3.00 |
| " clean  | .50    | 1.50    | 4.50 |
| populifolia  | .35    | 1.00    | 3.00 |
| BIGNONIA radicans  | .35    | 1.00    | 3.00 |
| BUDDLEIA davidi (variabilis)                               | .75    | 2.00    | 6.00 |
| " true Orange-eye type                                     | 1.50   |         |      |
| " from new garden forms 1/4 oz.                            | 1.00   |         |      |
| CALLICARPA americana                                       | .35    | 1.00    | 3.00 |
| dichotoma (purpurea)                                       | .65    | 2.00    |      |
| CALYCANTHUS floridus                                       | .20    | .50     | 1.50 |
| CARAGANA arborescens                                       | .25    | .75     | 2.50 |
| CARPINUS caroliniana                                       | .25    | .75     | 2.25 |
| CASTANEA dentata x sativa                                  |        | .50     | 1.50 |
| crenata  |        | .50     | 1.50 |
| mollissima   |        | 1.00    | 3.00 |
| sativa   |        | .35     | 1.00 |
| CATALPA bignonioides                                       | .15    | .40     | 1.25 |
| speciosa   | .20    | .60     | 1.75 |
| CEANOTHUS americanus, clean                                | .70    | 2.35    |      |
| thyrsiflorus, clean  | .75    | 2.25    |      |
| CEDRUS atlantica - winter delivery only                    | .45    | 1.20    | 3.50 |
| " argentea " " "   | .45    | 1.25    | 3.75 |
| deodara " " "  | .45    | 1.20    | 3.50 |
| libani " " "   | .50    | 1.50    | 4.50 |
| CELASTRUS orbiculatus, clean                               | .50    | 1.50    | 4.50 |
| scandens, clean  | .50    | 1.50    | 4.50 |
| CELTIS mississippiensis                                    | .15    | .40     | 1.25 |
| occidentalis   | .15    | .35     | 1.00 |
| CEPHALANTHUS occidentalis                                  | .15    | .40     | 1.25 |
| CERATONIA siliqua  | .25    | .75     | 2.25 |
| CERCIDIPHYLLUM japonicum, N.E. 1/4 oz.                     | .50    | 1.50    |      |
| CERCIS canadensis  | .20    | .50     | 1.50 |
| siliquastrum   | .20    | .50     | 1.50 |
| CHAMAECYPARIS lawsoniana                                   | .40    | 1.15    | 3.50 |
| " aurea, domestic seed                                     | .85    | 2.50    |      |
| " from various garden forms, domestic seed                 | .85    | 2.50    |      |
| CHIONANTHUS virginicus                                     | .30    | .75     | 2.50 |
| CINNAMOMUM camphora  | .40    | 1.15    | 3.50 |
| CITRUS trifoliata  | .25    | .65     | 2.00 |
| CLADRASTIS lutea   | .35    | 1.00    | 3.00 |
| CLEMATIS heracleifolia, N.E. 1/4 oz.                       | \$1.00 |         |      |
| virginiana   | .50    | 1.50    | 4.50 |
| CLERODENDRON trichotomum                                   | .75    | 2.00    |      |
| CLETHRA alnifolia  | .25    | .75     | 2.25 |
| COCCULUS carolinus   | .30    | .65     | 2.00 |
| COLUTEA arborescens  | .25    | .60     | 1.75 |
| CORNUS alternifolia  | .30    | .85     | 2.50 |
| amomum   | .20    | .50     | 1.50 |
| asperifolia  | .30    | .75     | 2.25 |







| CORNUS (cont.)                      |              | oz.  | 1/4 lb. | lb.  |
|-------------------------------------|--------------|------|---------|------|
| controversa                         |              | .70  | 2.00    |      |
| florida, Central States, clean      |              | .20  | .55     | 1.65 |
| " New England, clean                |              | .25  | .65     | 2.00 |
| " Southern seed, clean              |              | .20  | .50     | 1.50 |
| " from Red Flowered specimens       |              | .20  | .50     | 1.50 |
| kousa chinensis - winter only       |              | .75  | 2.00    | 6.00 |
| mas                                 |              | .20  | .60     | 1.75 |
| paniculata                          |              | .15  | .35     | 1.25 |
| stolonifera                         |              | .15  | .35     | 1.25 |
| CORYLOPSIS sinensis                 | 1/4 oz. .45  | 1.25 |         |      |
| CORYLUS americana                   |              | .15  | .35     | 1.25 |
| avellana                            |              | .15  | .25     | .65  |
| " atropurpurea                      |              | .25  | .65     | 2.00 |
| COTONEASTER acutifolia, clean       |              | .65  | 2.00    |      |
| bullata floribunda                  |              | .50  | 2.00    |      |
| dielsiana major                     |              | .45  | 1.25    | 3.75 |
| divaricata, clean                   |              | .35  | 1.00    | 3.00 |
| foveolata, clean                    |              | .65  | 1.80    | 5.50 |
| francheti                           |              | .35  | 1.00    |      |
| horizontalis, clean                 |              | .50  | 1.75    | 7.00 |
| integerrima                         |              | .65  | 2.00    |      |
| lucida                              |              | .50  | 1.50    |      |
| microphylla, clean                  |              | .60  | 2.40    |      |
| moupinensis, clean                  |              | .50  | 1.50    |      |
| multiflora                          |              | .65  | 2.00    |      |
| pannosa                             |              | .40  |         |      |
| simonsi, clean                      |              | .85  | 3.00    |      |
| zabeli                              |              | .50  | 1.50    |      |
| CRATAEGUS arkansana                 |              | .25  | .65     | 2.00 |
| arnoldiana, clean                   |              | .40  | 1.00    | 3.00 |
| coccinea, clean                     |              | .30  | .75     | 2.25 |
| coccinioides, clean                 |              | .30  | .75     | 2.50 |
| cordata (phaenopyrum), clean        |              | .35  | 1.10    | 3.25 |
| crus-galli, clean                   |              | .25  | .65     | 2.00 |
| macrantha                           |              | .25  | .50     | 1.50 |
| mollis, clean                       |              | .30  | .80     | 2.50 |
| nitida, clean                       |              | .45  | 1.35    | 4.00 |
| oxyacantha, clean                   |              | .25  | .50     | 1.50 |
| " monogyna, clean                   |              | .25  | .45     | 1.35 |
| persistens                          |              | .25  | .65     | 2.00 |
| pinnatifolia, clean                 |              | .35  | 1.00    | 3.00 |
| prunifolia, clean                   |              | .30  | .85     | 2.75 |
| tomentosa                           |              | .25  | .55     | 1.75 |
| CRYPTOMERIA japonica, European seed |              | .35  | 1.00    | 3.00 |
| " Oriental "                        |              | .50  | 1.50    | 4.00 |
| CUNNINGHAMIA lanceolata             |              | .60  | 1.65    | 5.00 |
| CUPRESSUS arizonica                 |              | .35  | 1.00    | 3.00 |
| forbesi                             |              | 1.00 | 3.00    |      |
| funnebris                           |              | .55  | 1.50    | 4.50 |
| goeniana                            |              | .55  | 1.65    | 5.00 |
| lusitanica                          |              | .35  | 1.00    | 3.00 |
| macnabiana                          |              | .60  | 1.65    | 5.00 |
| macrocarpa                          |              | .50  | 1.50    | 4.50 |
| " from garden specimens             |              | .65  | 1.75    | 5.50 |
| sempervirens horizontalis           |              | .25  | .75     | 2.25 |
| " stricta                           |              | .25  | .75     | 2.25 |
| CYDONIA japonica                    |              | .45  | 1.10    | 3.25 |
| " pygmaea                           |              | .55  | 1.50    | 4.50 |
| CYTISUS austriacus                  | 1/4 oz. .65  | 2.00 |         |      |
| nigricans, N.E. seed                | 1/4 oz. .85  | 2.50 |         |      |
| scoparius                           |              | .30  | .80     | 2.50 |
| " new vari-colored Hybrids          |              |      |         |      |
| supinus                             | 1/4 oz. 1.00 | 3.00 |         |      |
| DIOSPYROS lotus                     |              | .45  | 1.25    | 3.75 |
| virginiana                          |              | .15  | .35     | 1.00 |
| " northern                          |              | .20  | .50     | 1.50 |
| ELEAGNUS angustifolia, clean        |              | .25  | .60     | 2.00 |
| argentea, clean                     |              | .25  | .60     | 2.00 |
| longipes (multiflora)               |              | .55  | 1.65    | 5.00 |
| umbellata, clean                    |              | .45  | 1.10    | 3.25 |
| ENKIANTHUS campanulatus             | 1/4 oz. .65  | 2.00 |         |      |







|  | oz.       | 1/4 lb. | lb.  |
|--|-----------|---------|------|
| ERIOBOTRYA japonica                        | .30       | .75     | 2.25 |
| EUCALYPTUS globulus                        | .70       | 2.25    | 6.75 |
| EUONYMUS americanus                        | .25       | .70     | 2.10 |
| atropurpureus                              | .20       | .50     | 1.75 |
| bungeanus                                  | .20       | .50     | 1.75 |
| " pendula                                  | .50       | 1.50    |      |
| europaeus, clean                           | .30       | .80     | 2.40 |
| grandiflorus                               | .85       | 2.50    |      |
| planipes (sachalinensis)                   | .75       |         |      |
| FIRMIANA simplex                           | .35       | 1.00    | 3.00 |
| FRANKLINIA alataamaha                      | 100 seeds | 1.50    |      |
| FRAXINUS americana                         |           | .25     | .70  |
| excelsior                                  |           | .25     | .65  |
| lanceolata                                 |           | .25     | .75  |
| ornus                                      |           | .65     | 2.00 |
| GINKGO biloba                              | .15       | .35     | 1.00 |
| GLEDITSIA sinensis                         | .45       | 1.20    | 3.50 |
| triacanthos                                | .15       | .35     | 1.00 |
| " inermis                                  | .15       | .45     | 1.15 |
| GYMNOCLADUS dioicus                        |           | .25     | .75  |
| HALESIA monticola                          | .30       | .85     | 2.50 |
| " rosea                                    | .45       | 1.25    |      |
| tetraptera                                 | .20       | .50     | 1.50 |
| HAMAMELIS vernalis (tall form) from garden |           |         |      |
| specimens                                  | 1.00      | 3.00    |      |
| " tomentella (bush type)                   | 1.50      |         |      |
| virginiana                                 | .45       | 1.20    | 3.50 |
| HIBISCUS syriacus                          | .30       | .85     | 2.50 |
| HICORIA alba                               |           |         | .25  |
| cordiformis                                |           |         | .25  |
| glabra                                     |           |         | .25  |
| laciniosa                                  |           |         | .25  |
| ovata                                      |           |         | .25  |
| pecan, Northern Naturals                   |           |         | .65  |
| " large fruited Papershells                |           |         | .80  |
| HIPPOPHAE rhamnoides                       | .50       | 1.45    | 4.25 |
| HOVENIA dulcis                             | 1.00      |         |      |
| IDESIA polycarpa                           | 1.25      |         |      |
| ILEX aquifolium, clean                     | .40       | 1.10    | 3.25 |
| cornuta, clean                             | .65       | 2.00    | 6.00 |
| glabra                                     | .30       | .75     | 2.25 |
| laevigata                                  | .35       | .85     | 2.50 |
| opaca, clean                               | .35       | 1.00    | 3.00 |
| " from its northern range                  | .50       | 1.50    | 4.50 |
| verticillata                               | .25       | .65     | 2.00 |
| " clean                                    | .45       | 1.35    | 4.00 |
| JUGLANS californica                        |           | .20     | .50  |
| " hindsii                                  |           | .20     | .50  |
| cinerea                                    |           |         | .25  |
| nigra, from wild trees                     |           |         | .25  |
| " from named orchard varieties--choice of  |           |         |      |
| Ohio-Stabler- Ten Eyck- Thomas.            |           |         | .35  |
| regia                                      |           |         | .75  |
| JUNIPERUS communis depressa                | .25       | .65     | 2.00 |
| " upright columnar type, clean             | .60       | 1.65    | 4.75 |
| formosana, clean                           | .85       | 2.50    | 7.50 |
| horizontalis                               | .25       | .65     | 2.00 |
| scopulorum                                 | .15       | .30     | .95  |
| " clean                                    | .50       | 1.30    | 4.00 |
| virginiana, Southern                       | .20       | .60     | 1.75 |
| " Platte River                             | .20       | .60     | 1.75 |
| " " " clean                                | .50       | 1.30    | 4.00 |
| KALMIA angustifolia                        | 1/4 oz.   | 1.75    |      |
| latifolia, N. E. seed                      | 1/4 oz.   | .45     |      |
| KERRIA japonica                            | 1.25      |         |      |
| KOELREUTERIA paniculata                    | .30       | .80     | 2.50 |
| KOLKWITZIA amabilis                        | 1.00      | 3.00    |      |







|   | oz.  | 1/4 lb. | lb.   |
|---|------|---------|-------|
| LABURNUM alpinum                          | .30  | .80     | 2.50  |
| vulgare                                   | .30  | .80     | 2.50  |
| LARIX europaea                            | .55  | 1.50    | 4.50  |
| occidentalis                              | 1.00 | 2.90    | 8.75  |
| LAUROCERASUS caroliniana                  |      | .45     | 1.25  |
| officinalis                               |      | .50     | 1.50  |
| LESPEDeza formosa                         | .70  | 2.00    |       |
| LEUCOTHOE catesbaei, N. E. seed           |      |         |       |
| 1/4 oz. .45                               | 1.25 |         |       |
| LIGUSTRUM amurense                        | .20  | .50     | 1.50  |
| ibota                                     | .15  | .45     | 1.25  |
| japonicum                                 | .20  | .50     | 1.50  |
| lucidum                                   | .20  | .50     | 1.50  |
| nepalense                                 | .20  | .60     | 1.75  |
| sinensis ("South" Privet)                 | .20  | .60     | 1.75  |
| vulgare, clean                            | .35  | 1.00    | 3.00  |
| LIQUIDAMBAR styraciflua                   | .50  | 1.40    | 4.25  |
| LIRIODENDRON tulipifera                   | .15  | .45     | 1.25  |
| LONICERA maacki, clean                    | .50  | 1.50    |       |
| morrowi                                   | .65  | 1.80    |       |
| ruprechtiana                              | .65  | 1.80    |       |
| tatarica                                  | .45  | 1.20    | 6.50  |
| " rosea                                   | .85  | 2.50    |       |
| " virginialis (white)                     | .85  | 2.50    |       |
| MACLURA pomifera                          |      | .40     | 1.25  |
| MAGNOLIA acuminata                        | .30  | .75     | 2.25  |
| glaucous                                  | .30  | .90     | 2.75  |
| grandiflora                               | .20  | .60     | 1.75  |
| tripetala                                 | .40  | 1.00    | 3.00  |
| MAHONIA aquifolia, clean                  | .55  | 1.65    | 5.00  |
| nervosa                                   | .55  | 1.65    | 5.00  |
| MALUS baccata, dried pomes                | .20  | .50     | 1.50  |
| " clean                                   | .85  | 2.50    | 7.50  |
| coronaria, clean                          | 1.00 | 3.00    | 9.00  |
| common, Apple for stock-French Cider Crab | .35  | 1.00    | 3.00  |
| sargentii, dried pomes                    | .25  | .65     | 2.00  |
| theifera, dried pomes                     | .30  | .80     | 2.50  |
| MENISPERMUM canadense                     | .30  | .80     | 2.50  |
| MORUS alba                                | .65  | 1.75    | 5.50  |
| " tatarica                                | .45  | 1.25    | 3.75  |
| MYRICA carolinensis                       | .20  | .50     | 1.50  |
| cerifera                                  | .30  | .85     | 2.50  |
| NANDINA domestica                         | .30  | .80     | 2.50  |
| NYSSA aquatica                            | .15  | .40     | 1.25  |
| sylvatica, northern                       | .15  | .40     | 1.25  |
| " southern                                | .15  | .40     | 1.25  |
| OXYDENDRON arboreum, clean 1/4 oz. .50    | 1.50 |         |       |
| PAULOWNIA tomentosa                       | .35  | 1.00    | 3.00  |
| PHILADELPHUS coronarius                   | .75  | 2.35    | 7.00  |
| " garden varieties                        | 1.00 |         |       |
| grandiflorus                              | .80  | 2.50    |       |
| pubescens                                 | 1.00 | 3.00    |       |
| purpurascens                              | 1.50 | 4.50    |       |
| PHOTINIA serrulata                        | .50  | 1.60    | 4.25  |
| PICEA canadensis (alba or glauca) **      |      |         |       |
| " albertiana                              | 1.50 |         |       |
| " Black Hills variety                     | 1.50 |         |       |
| engelmanni                                | 1.00 | 3.00    | 9.00  |
| excelsa, Northern Europe                  | .55  | 1.65    | 5.00  |
| " Central Europe                          | .55  | 1.50    | 4.50  |
| nigra (mariana) **                        |      |         |       |
| orientalis                                | 1.75 | 5.00    | 15.00 |
| rubra **                                  |      |         |       |
| sitchensis                                | 1.00 | 3.00    | 9.00  |
| PIERIS floribunda, N. E. 1/4 oz. .50      | 2.00 |         |       |

\*\* - prices later - subject to outcome of harvest.







| PIERIS (cont.)                               | oz.          | 1/4 lb. | lb.   |
|--|--------------|---------|-------|
| japonica                                     | 1/4 oz. .75  |         |       |
| mariana, N. E.                               | 1/8 oz. 1.00 |         |       |
| PINUS albicaulis                             | .35          | 1.00    | 3.00  |
| armandi                                      | .75          | 2.00    | 6.00  |
| banksiana                                    | .70          | 2.00    | 6.00  |
| caribaea                                     | .40          | 1.25    | 3.75  |
| contorta                                     | .70          | 2.15    | 6.50  |
| " latifolia (murrayana)                      | .65          | 2.00    | 6.00  |
| echinata                                     | .80          | 2.50    | 7.50  |
| edulis                                       | .35          | 1.00    | 3.00  |
| flexilis                                     | .40          | 1.20    | 3.50  |
| jeffreyi                                     | .45          | 1.25    | 3.50  |
| maritima                                     | .35          | .90     | 2.75  |
| montana (mugus)                              | .35          | 1.00    | 3.00  |
| " gallica                                    | .70          | 2.20    | 6.50  |
| " uncinata                                   | .50          | 1.50    | 4.50  |
| monticola                                    | .65          | 2.00    | 6.00  |
| nigra (spring delivery)                      | .65          | 2.00    | 6.00  |
| " calabarica                                 | 1.00         | 3.00    | 9.00  |
| palustris                                    | .30          | .85     | 2.50  |
| ponderosa, Giant Pacific Coast race-         |              |         |       |
| Timber strain                                | .55          | 1.50    | 4.50  |
| " Rocky Mountain origins                     | .35          | 1.00    | 3.00  |
| " scopulorum                                 | .35          | 1.00    | 3.00  |
| radiata                                      | .40          | 1.30    | 3.75  |
| strobis                                      | .50          | 1.50    | 4.50  |
| sylvestris, Northern Europe, spring only     | .95          | 3.00    | 9.00  |
| " Western Europe                             | .65          | 2.00    | 6.00  |
| taeda  | .55          | 1.50    | 4.50  |
| PITTOSPORUM crassifolium                     | .45          | 1.10    | 4.00  |
| eugenoides                                   | .45          | 1.10    | 4.00  |
| tobira                                       | .45          | 1.10    | 4.00  |
| PISTACIA chinensis                           | .65          | 2.00    |       |
| PLATANUS occidentalis                        | .15          | .35     | 1.00  |
| " clean                                      | .20          | .50     | 1.50  |
| orientalis                                   | .15          | .45     | 1.25  |
| POINCIANA gilliesi                           | .50          | 1.50    | 4.50  |
| PRUNUS americana, Eastern sources, clean     | .20          | .50     | 1.50  |
| " Western " clean                            | .20          | .45     | 1.35  |
| armeniaca, clean (Apricot)                   |              | .15     | .35   |
| avium, clean, Mazzard                        |              | .30     | .95   |
| " Sweet Cherry                               |              | .20     | .65   |
| besseyi                                      | .35          | 1.00    | 3.00  |
| caroliniana                                  | .15          | .45     | 1.25  |
| cerasifera (Myrobolan), clean                | .20          | .50     | 1.50  |
| demissa melanocarpa                          | .25          | .65     | 2.00  |
| ilicifolia                                   | .25          | .65     | 2.00  |
| insititia                                    | .25          | .60     | 1.75  |
| japonica                                     | .50          | 1.50    | 4.50  |
| lyoni (integrifolia)                         | .25          | .65     | 2.00  |
| mahaleb, clean                               | .20          | .60     | 1.75  |
| maritima                                     | .20          | .50     | 1.50  |
| nigra, clean                                 | .30          | 1.00    | 3.00  |
| pennsylvanica, clean                         | .25          | .65     | 2.00  |
| persica (Peach Lovell var.)                  |              |         | .25   |
| salicina (triflora) from cultivated          |              |         |       |
| varieties, clean                             |              | .35     | 1.00  |
| serotina, clean                              | .15          | .40     | 1.25  |
| spinosa, clean                               | .25          | .65     | 2.00  |
| tomentosa, clean                             | .35          | 1.00    | 3.00  |
| triloba, clean                               | .45          | 1.20    | 3.50  |
| PSEUDOTSUGA douglasi, Rocky Mountain origins | 1.35         | 4.00    | 12.00 |
| " Pacific Coast Strain                       | 1.65         | 5.00    | 15.00 |
| PTELEA trifoliata                            | .20          | .50     | 1.50  |
| QUERCUS rubra (borealis maxima)              |              |         |       |
| 100 lbs. 18.00                               |              |         | .25   |
| " ambigua (borealis)                         |              |         |       |
| 100 lbs. 18.00                               |              |         | .25   |
| palustris 100 lbs. 25.00                     |              |         | .30   |







|                                    | oz.     | 1/4 lb. | 1b.   |
|------------------------------------|---------|---------|-------|
| RHAMNUS cathartica                 | .25     | .80     | 2.50  |
| crenata                            | .75     |         |       |
| dahurica, clean                    | .70     | 2.00    | 6.00  |
| frangula                           | .25     | .65     | 2.00  |
| RHODODENDRON canadensis (Rhodora)  |         |         |       |
| 1/16 oz.                           | 1.25    |         |       |
| carolinianum, N. E.                |         |         |       |
| 1/4 oz.                            | .75     | 2.25    |       |
| catawbiense, N. E.                 |         |         |       |
| 1/4 oz.                            | 1.00    | 3.00    |       |
| " compactum, N. E.                 |         |         |       |
| 1/16 oz.                           | 1.25    |         |       |
| " hybrids, N. E.                   |         |         |       |
| 1/4 oz.                            | 2.50    |         |       |
| fortunei                           | 1/8 oz. | 1.25    |       |
| maximum, N. E.                     | 1/4 oz. | .50     | 1.50  |
| ponticum                           | 1/4 oz. | .75     | 3.00  |
| RHUS canadensis (aromatica), clean | .25     | .75     | 2.25  |
| copallina                          | .25     | .60     | 2.00  |
| cotinus                            | .45     | 1.35    | 4.00  |
| glabra                             | .15     | .35     | 1.00  |
| trilobata, clean                   | .30     | .80     | 2.50  |
| typhina                            | .15     | .35     | 1.00  |
| ROSA blanda                        | .20     | .50     | 1.50  |
| " clean                            | .40     | 1.10    | 3.35  |
| canina, clean                      | .25     | .60     | 2.00  |
| humilis                            | .20     | .50     | 1.50  |
| " clean                            | .75     | 2.20    | 6.50  |
| lucida (virginiana)                | .20     | .60     | 1.75  |
| multiflora, thornless              | .45     | 1.20    | 3.50  |
| " thorny                           | .55     | 1.35    | 4.00  |
| palustris                          | .30     | .80     | 2.50  |
| rubiginosa, clean                  | .30     | .80     | 2.50  |
| rugosa, clean                      | .25     | .70     | 2.25  |
| setigera, dried hips               | .20     | .50     | 1.50  |
| " clean                            | .60     | 1.65    | 5.00  |
| wichuraiana                        | .30     | .85     | 2.50  |
| SAMBUCUS canadensis, clean         | .25     | .60     | 2.00  |
| SAPINDUS drummondi                 | .20     | .50     | 1.50  |
| SASSAFRAS varifolium               | .25     | .65     | 2.00  |
| SEQUOIA gigantea                   | 1.25    | 4.00    | 12.00 |
| sempervirens                       | .55     | 1.65    | 5.00  |
| SHEPHERDIA argentea                | .55     | 1.65    | 5.00  |
| canadensis                         | .55     | 1.65    | 5.00  |
| SMILAX rotundifolia                | .40     | 1.10    | 3.25  |
| walteri                            | .50     | 1.50    |       |
| SORBUS americana                   | .30     | .80     | 2.50  |
| aucuparia                          | .15     | .45     | 1.35  |
| STAPHYLEA trifolia                 | .25     | .65     | 2.00  |
| STYRAX americana                   | .25     | .65     | 2.00  |
| SYRINGA amurensis                  | .80     | 2.50    | 7.50  |
| henryi (villosa x josikaea)        | 1.00    | 3.00    |       |
| japonica                           | .80     | 2.50    | 7.50  |
| josikaea                           | 1.00    | 3.00    |       |
| villosa, clean                     | .65     | 2.00    |       |
| vulgaris, clean                    | .45     | 1.25    | 3.75  |
| choice French Hybrids, clean       | .75     | 2.00    | 6.00  |
| TAXODIUM distichum                 | .20     | .50     | 1.50  |
| TAXUS baccata                      | .35     | 1.10    | 3.25  |
| cuspidata                          | 1.10    | 3.50    | 10.00 |
| media hicksi                       | 1.00    | 4.00    |       |
| THEA sinensis                      | .35     | .90     | 2.75  |
| THUJA orientalis                   | .35     | 1.00    | 3.00  |
| " aurea conspicua                  | .40     | 1.20    | 3.50  |
| " compacta (sieboldi)              |         |         |       |
| winter only                        | .45     | 1.35    | 4.00  |
| " globosa (winter only)            | .55     | 1.50    | 4.50  |
| TILIA americana                    | .20     | .50     | 1.50  |
| platyphyllos                       | .30     | .85     | 2.50  |
| tomentosa                          | .30     | .85     | 2.50  |







|   | oz.       | 1/4 lb. | 1b.   |
|---|-----------|---------|-------|
| TSUGA canadensis**                              |           |         |       |
| caroliniana                                     | 1.20      | 3.35    | 10.00 |
| " N. E.   | 1.35      | 4.10    | 12.50 |
| heterophylla                                    | 1.25      | 3.65    | 11.00 |
| VACCINIUM corymbosum                            | .40       | 1.20    | 3.50  |
| " from large fruited cultivated named varieties | .65       | 2.00    | 6.00  |
| VIBURNUM acerifolium                            | .30       | .75     | 2.25  |
| americanum                                      | .30       | .80     | 2.50  |
| " clean   | .45       | 1.35    | 4.00  |
| cassinoides                                     | .30       | .75     | 2.25  |
| dentatum  | .20       | .50     | 1.50  |
| " clean   | .50       | 1.50    | 4.50  |
| lantana   | .25       | .75     | 2.25  |
| lentago   | .25       | .65     | 2.00  |
| " clean   | .45       | 1.35    | 4.00  |
| molle   | .25       | .75     | 2.25  |
| opulus, clean                                   | .45       | 1.35    | 4.00  |
| pubescens                                       | .35       | 1.00    | 3.00  |
| prunifolium                                     | .20       | .40     | 1.25  |
| " clean   | .35       | 1.10    | 3.25  |
| rufidulum                                       | .20       | .50     | 1.50  |
| " clean   | .35       | 1.10    | 3.25  |
| sargentii                                       | .30       | .85     | 2.75  |
| " clean   | .45       | 1.40    | 4.25  |
| sieboldi  | .60       | 1.65    | 5.00  |
| VITEX agnus castus                              | .30       | .75     | 2.25  |
| VITIS aestivalis                                | .30       | .80     | 2.50  |
| cordifolia                                      | .30       | .80     | 2.50  |
| labrusca  | .30       | .80     | 2.50  |
| riparia (odoratissima)                          | .35       | 1.00    | 3.00  |
| WEIGELA Garden Varieties                        | 1/8 oz.   | 1.00    |       |
| XANTHOCERAS sorbifolium                         | 100 seeds | 1.85    |       |
|   | 1000 "    | 15.00   |       |
| ZENOBIJA pulverulenta                           | 1/16 oz.  | 1.85    |       |

MISCELLANEOUS ITEMS

|  |          |      |            |
|--|----------|------|------------|
| ASTER spectabilis  | 1/4 oz.  | 1.00 | 3.00       |
| DICENTRA eximia  | 1/4 oz.  | .60  | 2.00       |
| LILIUM auratum, N. E.                                    | Tr. Pkt. | 1.00 |            |
| formosanum, late variety, large flowered white selection | 1/4 oz.  | .85  | 3.00       |
| regale   |          | 1.10 | 3.35 10.00 |
| LUPINUS, Downers & Russells choice selections            | 1/4 oz.  | .35  | 1.00       |
| Russells imported  |          | .50  |            |
| " home-grown   |          | .85  |            |
| polyphyllus, all colors                                  |          |      | .85 2.50   |
| THERMOPSIS caroliniana                                   | 1/4 oz.  | .35  | 1.00       |
| YUCCA glauca   | 1/4 oz.  | .25  | .75        |
| gloriosa   | 1/4 oz.  | .25  | .75        |

ABBREVIATION -- N. E. stands for New England seed - a sign of hardiness.

TERMS: 3% discount for cash with orders, for customers of approved credit 2% 10 days, 30 days net. Please include packing and forwarding charges in your remittance.







1947 crops are again disappointing in many ways, Colorado and Pacific Coast failed or are extremely short.

B O O K S

CULTIVATED CONIFERS IN NORTH AMERICA By Dr. L. H. Bailey

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, disease, protection \$7.50

SEEDING and PLANTING IN THE PRACTICE OF FORESTRY  
by I. W. Toumey and C. F. Korsteim

507 pages, 2nd edition. The best book on the subject \$5.65

STANDARDIZED PLANT NAMES

New second edition. Reference book to 90,000 Common and Scientific names \$10.50

MANUAL of CULTIVATED TREES and SHRUBS By Alfred Rehder

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages \$10.50

Book prices are postpaid in U.S.A. Terms net cash with order.



